

## INSTALLER INSPIRED FIXED & TILT MOUNTING SOLUTIONS

Chief's Fusion Series of installer inspired fixed and tilt flat panel TV mounts solve tough installation problems. Innovative features like Centerless™ lateral shift and ControlZone™ height and roll adjustment provide perfect TV placement, and reduce installation time. A full line of supporting accessories can be integrated in a wide variety of AV configurations.




# FIXED & TILT MOUNTING SOLUTIONS




## FLAT PANEL MOUNTS

# FUSION

## DISCOVER THE 4 C'S OF MOUNTING:




- 1** CENTERLESS™ LATERAL SHIFT  
Get up to 16" of post-installation lateral shift - 8" left/right of uprights.
- 2** CONTROLZONE™ HEIGHT & ROLL ADJUSTMENT  
This industry-first feature allows post-installation fine-tuning of height and leveling by inserting an Allen key into the ports at the top of the wall plate uprights. Adjustments are applied to the entire configuration, not just the TV.
- 3** CENTRIS™ LOW-PROFILE TILT  
Provides effortless tilting by using the center of gravity to balance the screen – no tools necessary!
- 4** CLICK-CONNECT™ TOOL-LESS LATCHING  
Hear an audible click when the screen safely engages with the mount. Use the built-in cable stand to gain easy access under the screen.




# FUSION SERIES



MTM



LTM



XTM


## SPECIFICATIONS

Model	TV Size Range	Depth from Wall	Centerless Lateral Shift*	Centris Low-Profile Tilt**	Max Mounting Pattern (H,W)	Weight Capacity (single stud, dual stud)
<b>FUSION Series Fixed &amp; Tilt Mounts with ControlZone</b>						
MSM™	26 - 47"	1.96" (50 mm)	14.5" (368 mm)	–	15.75" (400 mm), 25.6" (650 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
MTM™	26 - 47"	1.99" (51 mm)	14.5" (368 mm)	0-12°	15.75" (400 mm), 26.25" (667 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
LSM™	37 - 63"	1.96" (50 mm)	17.5" (445 mm)	–	19.9" (506 mm), 34.6" (879 mm)	200 lbs (90.7 kg)
LTM™	37 - 63"	1.99" (51 mm)	17.5" (445 mm)	0-12°	19.9" (506 mm), 35.35" (895 mm)	200 lbs (90.7 kg)
XSM™	55 - 75"	1.96" (50 mm)	23.5" (597 mm)	–	26.9" (685 mm), 48.4" (1229 mm)	250 lbs (113 kg)
XTM™	55 - 75"	1.99" (51 mm)	23.5" (597 mm)	0-12°	26.9" (685 mm), 49.2" (1249 mm)	250 lbs (113 kg)

## FUSION Series Fixed & Tilt Mounts

MSA™	26 - 47"	1.96" (50 mm)	14.5" (368 mm)	–	15.75" (400 mm), 25.6" (650 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
MTA™	26 - 47"	1.99" (51 mm)	14.5" (368 mm)	0-12°	15.75" (400 mm), 26.25" (667 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
LSA™	37 - 63"	1.96" (50 mm)	17.5" (445 mm)	–	19.9" (506 mm), 34.6" (879 mm)	200 lbs (90.7 kg)
LTA™	37 - 63"	1.99" (51 mm)	17.5" (445 mm)	0-12°	19.9" (506 mm), 35.35" (895 mm)	200 lbs (90.7 kg)

\*Varies with screen mounting pattern and stud placement. \*\*Varies with screen height.



LTA



MTA



# FIXED & TILT MOUNTING SOLUTIONS

## FLAT PANEL ACCESSORIES

### CUSTOMIZABLE FUSION™ ACCESSORY SYSTEM

A full line of supporting accessories can be integrated with Fusion Fixed & Tilt Wall Mounts, extending the same adjustment benefits to the entire configuration. Mix and match accessories with any Fusion mount for the perfect installation in every application.

- Compatible with any Fusion mount
- Can be used together for a complete customized system
- Connects to the rail of the mount without adding depth



**FVS100™ / FVS150™**  
8" and 12" Video Conferencing Shelves - below



**FVS200™ / FVS250™**  
8" and 12" Video Conferencing Shelves - above



**FVS300™ / FVS350™ \***  
8" and 12" Video Conferencing Shelves - between two screens



**FCA100™**  
CAT 5/Surge KPU Adapter



**PAC521P™**  
In-Wall Power Box



**FCS100™**  
Single Component Shelf - below



**FCD100™ \*\***  
Additional Component Shelf - below



**FCC100™**  
Center Channel Speaker Adapter



**FLR100™**  
Left/Right Speaker Adapter



**FCK008™ / FCK016™ \***  
8" and 16" Connector Kits


\* FCK008 recommended when installing 37-42" screens on L-series of Fusion. All others can use the FCK016. (FCK008 or FCK016 required when using FVS300 or FVS350 shelves)

\*\* Can be used with FCS100, FCC100 or FVS100/150 shelves.


#### VIDEO CONFERENCING



#### HOME THEATER



#### BOARDROOM



For more information on these and other products from Chief, the industry leader in AV mounting solutions, visit [www.chiefmfg.com](http://www.chiefmfg.com).

end-user focused

faster installation

superior service

proven quality



Québec Montréal  
Tél. : (418) 681-2470 Tél. : (514) 871-1994  
[www.presence.qc.ca](http://www.presence.qc.ca)

■ A DIVISION OF MILESTONE AV TECHNOLOGIES ■ [www.chiefmfg.com](http://www.chiefmfg.com)  
 ■ P 800.582.6480/952.894.6280 ■ F 877.894.6918/952.894.6918 ■ [chief@chiefmfg.com](mailto:chief@chiefmfg.com)  
 ■ P 877.345.4329 ■ F 888.377.5314 ■ [info@chiefmounts.ca](mailto:info@chiefmounts.ca)  
 ■ P 31 (0)40 2668620 ■ F 31 (0)40 2668615 ■ [europe@milestone.com](mailto:europe@milestone.com)  
 ■ P 86 755 8996 9226 ■ F 86 755 8996 9217 ■ [asia.chief@milestone.com](mailto:asia.chief@milestone.com)  
 ossois Group Company. 800205B 12/08. Chief is a registered trademark of Milestone. All other brand names or marks are used  
 rks of their respective owners. All patents are protected under existing designations. Other patents pending.